

**RTG4™ FCCC with Enhanced PLL Calibration Configurator  
User Guide**

**Introduction**


The RTG4™ FCCC with Enhanced PLL Calibration Configurator generated circuit includes soft logic that performs calibration at power-up or when the PLL is reset. This ensures that the PLL lock is stable during normal operation within the supported RTG4 operating junction temperature range.

This document describes the RTG4 FCCC with Enhanced PLL Calibration Configurator. This configurator enables the configuration of two CCCs —CCC\_0 and CCC\_1. You must configure one or both of the CCCs. Enhanced lock PLL calibration soft logic is implemented for all the configured CCCs.

The enhanced PLL calibration removes any Fabric PLL lock stability dependence on the operating junction temperature across the supported RTG4 operating temperature range for non-triplicated PLL. For more information about the configuration options for the RTG4 FCCC with Enhanced PLL Calibration Configurator, see [2. Configuration Options](#).


The following figure shows the top-view of the RTG4 FCCC with Enhanced PLL Calibration Configurator.

**Figure 1. RTG4 FCCC with Enhanced PLL Calibration Configurator**



The RTG4 FCCC with Enhanced PLL Calibration Configurator enables you to configure two of the eight CCC/PLL blocks available on the RTG4 devices.

**Figure 2. Clock Paths Overview**



The Fabric CCC can condition up to 11 input clocks to generate up to four clocks. Each of the four output clocks can directly drive the global network and/or the local routing network.

Each of the four output clocks can be driven by:

- One of the eight PLL output phases
- One of the four General Purpose Divider (GPD) outputs
- One of the eleven input clocks:
  - Dedicated Input Pad 0
  - Dedicated Input Pad 1
  - Dedicated Input Pad 2
  - Dedicated Input Pad 3
  - FPGA Fabric Input 0
  - FPGA Fabric Input 1
  - FPGA Fabric Input 2
  - FPGA Fabric Input 3
  - 50 MHz On-chip Oscillator
  - Clock Recovery Circuitry 0
  - Clock Recovery Circuitry 1

The reference clock of the PLL can be driven by one of the nine input clocks:

- Four Dedicated Input Pads
- Four FPGA Fabric Inputs
- 50 MHz On-chip Oscillator

Each of the four GPDs can be driven by either one of the nine input clocks (Dedicated Input Pad 0 through 3, Dedicated Fabric Input 0 through 3 and the 50 MHz Oscillator) or one of the eight PLL output phases. The configuration of the CCC can be broken down into the following three major blocks:

- Output Clocks GL[x]/Y[x] configuration
  - Clock source selection
  - Clocks frequency and phase configurations
- PLL configuration
  - PLL clock generation configuration including external feedback support
- GPD configuration

## Table of Contents

|   |    |
|---|----|
| Introduction.....   | 1  |
| 1. Calibration.....   | 5  |
| 1.1. Calibration.....                                       | 5  |
| 1.2. Recalibration.....                                     | 5  |
| 2. Configuration Options.....                               | 6  |
| 2.1. Basic Configuration.....                               | 6  |
| 2.2. Basic Tab.....   | 8  |
| 2.3. Advanced Configuration.....                            | 9  |
| 2.4. Advanced Tab.....                                      | 10 |
| 3. PLL Options.....   | 17 |
| 3.1. Lock Control.....                                      | 18 |
| 3.2. Output Resynchronization After Lock Configuration..... | 18 |
| 3.3. Miscellaneous Options.....                             | 19 |
| 3.4. Recommendations for Dynamic Configuration.....         | 20 |
| 3.5. Clock Frequency Requirements.....                      | 20 |
| 3.6. Constraints.....                                       | 21 |
| 4. Port Description.....                                    | 22 |
| 5. Revision History.....                                    | 26 |
| 6. Microchip FPGA Technical Support.....                    | 27 |
| 6.1. Customer Service.....                                  | 27 |
| 6.2. Customer Technical Support.....                        | 27 |
| 6.3. Website.....   | 27 |
| 6.4. Outside the U.S.....                                   | 27 |
| The Microchip Website.....                                  | 28 |
| Product Change Notification Service.....                    | 28 |
| Customer Support.....                                       | 28 |
| Microchip Devices Code Protection Feature.....              | 28 |
| Legal Notice.....   | 29 |
| Trademarks.....   | 29 |
| Quality Management System.....                              | 30 |
| Worldwide Sales and Service.....                            | 31 |

## 1. Calibration

Calibration consists of two processes:

- Calibration
- Recalibration

### 1.1 Calibration

PLLs present in the fabric CCC in the RTG4 family might lose 'LOCK' at high temperatures. Review Customer Notifications [19009A](#) for more information.

In the CCC, 'loss of PLL lock' issue is addressed using soft logic that is added as part of the RTG4 FCCCECALIB generated circuit. The soft logic performs calibration at power-up or when the CCC is reset to ensure that the PLL lock is stable during the normal operation.

Internally, controller core, CorePLL\_ELOCK, writes the PLL registers through the APB interface. The register values are chosen such that the high VCO values are written first, wait for 150 us and then writes the Actual VCO values.

High VCO is chosen such that the value is in the range from 1.5 to 1.9 times of the actual VCO.

If both the CCCs are used in the design, then the CCC\_0 registers are loaded first followed by the CCC\_1 registers.

### 1.2 Recalibration

Recalibration is the process of performing calibration again and this can happen in following scenarios:

1. When the **Enable Auto Reset on PLL loss of lock** in the **PLL Options** tab is selected and the lock signal goes low, then the recalibration process gets triggered.
2. Reset is applied using PLL\_RST\_N.
3. If both the CCCs are used and if the power-down signal (CCC\_0\_POWERDOWN\_N or CCC\_1\_POWERDOWN\_N) goes low, then recalibration gets triggered for the corresponding CCC.
4. If READY\_VDDPLL goes low, then the calibration process gets triggered—in this case, both the CCCs are calibrated.

During the recalibration process, the lock signals of the CCC that is CCC\_0\_LOCK and CCC\_1\_LOCK goes low if both CCC's are getting recalibrated. Otherwise, the corresponding CCC lock goes down and CCC\_<id>\_LOCK becomes low.

## 2. Configuration Options

The RTG4 FCCC with Enhanced PLL Calibration Configurator consists of the below configuration options.

### 2.1 Basic Configuration

This section describes basic configuration of the RTG4 FCCC with Enhanced PLL Calibration Configurator.

#### 2.1.1 CCC Location

You must choose a physical location for the CCC pair:

- CCC\_NW
- CCC\_NE
- CCC\_SW
- CCC\_SE

The package pin names for the selected location are displayed next to the dedicated pads in the **Advanced** tab of each CCC. It is important to ensure that the dedicated input pad selected in the configurator GUI matches the board-level clock input pin assignment.

#### 2.1.2 CCC Selection

Make your CCC selection (CCC\_0, CCC\_1, or BOTH). The Basic, Advanced, and PLL Options tabs will reflect the selections you made by graying-out any CCC tab that is not selected for configuration.

#### 2.1.3 Reset Type

Following reset type options are added for the PLL\_RST\_N port in the configurator:

1. Synchronous with CLK\_50MHZ
2. Async Assert, Sync De-assert

**Note:**

Reset synchronizer for both the options are implemented internally.

##### 2.1.3.1 Synchronous with CLK\_50MHZ

Synchronous with CLK\_50MHZ has assertion and de-assertion of reset synchronous to CLK\_50MHZ. Default reset type is synchronous reset.

##### 2.1.3.2 Async Assert, Sync De-assert

Async Assert, Sync De-assert has asynchronous assertion and synchronous de-assertion of reset to CLK\_50MHZ.

When you select asynchronous reset, the following warning message is shown:



When selecting the Asynchronous Assertion, Synchronous De - assertion reset type, it is recommended to use an SET mitigated approach when connecting an async reset signal to the PLL\_RST\_N input of this core. An external reset can enter the device using a CLKBUF macro on a GB# pin, or an RGRESET macro can be manually instantiated and connected to a triplicated internal logic cone. For more information, refer to *App Note AC463*.

#### 2.1.4 CCC Dynamic Configuration

**Enable Dynamic configuration** - When the **Enable Dynamic configuration** option is selected, an APB target interface is exposed to the FPGA fabric. There is one APB target interface per corner of the fabric, and thus the two CCCs in a given corner share the same dynamic configuration APB interface. This interface can be used to read or modify the CCC configuration registers from the FPGA fabric. Refer to the [RTG4 Clocking Resources User Guide](#) for the list of CCC Configuration registers.

You can choose to have Dynamic configuration for both CCCs. The Dynamic changes cannot alter any parameter that could result in loss of lock.

**Note:**

It is recommended to configure CCC's in dynamic configuration only when locks of the CCC's are high.

When user performs dynamic configuration its user responsibility to not change the PLL registers as changing these registers will cause Loss of LOCK and which causes recalibration process to trigger again and user written PLL registers will be lost.

### 2.1.5 Basic Flow


The following flow is recommended to configure the clock generated by the selected CCC for basic use cases:

1. Select the number of desired output clocks (up to four).
2. For each selected output clock, set the required output frequency.
3. Configure the CCC/PLL reference clock source and frequency. For Oscillator input, a 50 MHz Oscillator is available.

In basic configuration, the PLL is always used to generate the output frequency. The feedback of the PLL is internal to the CCC. Click the **Basic** tab of the RTG4 FCCC with Enhanced PLL Calibration Configurator for the basic configuration of the selected CCC.

Actual output frequencies achieved by the RTG4 FCCC with Enhanced PLL Calibration Configurator are shown in the Actual column.

**Figure 2-1. Basic CCC Configuration Tab**



## 2.2 Basic Tab

Below are the features available in Basic Tab of the RTG4 FCCC with Enhanced PLL Calibration Configurator.

### 2.2.1 Output Clocks Selection

The GL0, GL1, GL2, and GL3 output clocks drive a global network in the FPGA fabric. You must select at least one of the output clocks.

Figure 2-2. Output Clocks Selection

|   | Exact Value              | Frequency | Actual      |
|---|--------------------------|-----------|-------------|
| <input checked="" type="checkbox"/> GL0 | <input type="checkbox"/> | 50 MHz    | 50.000 MHz  |
| <input checked="" type="checkbox"/> GL1 | <input type="checkbox"/> | 100 MHz   | 100.000 MHz |
| <input checked="" type="checkbox"/> GL2 | <input type="checkbox"/> | 200 MHz   | 200.000 MHz |
| <input type="checkbox"/> GL3            | <input type="checkbox"/> | 100 MHz   | MHz         |

### 2.2.2 Output Clock Frequency

You must specify the required output clock frequency. The given frequencies are used by the RTG4 FCCC with Enhanced PLL Calibration Configurator to compute the configuration of the CCC dividers and PLL to meet the requirements. Actual column displays the actual value the configurator was able to achieve.

### 2.2.3 Exact Value Option

The RTG4 FCCC with Enhanced PLL Calibration Configurator automatically tries to compute a configuration that meets the frequency requirements and all the internal CCC/PLL constraints. If the configurator is unable to find an exact solution for all requirements, it finds a configuration that globally minimizes the error between the required and actual frequency. When you click the **Exact Value** check box to turn on this option, it forces the configurator to generate the nearest actual frequency with a tolerance of 0.5 kHz.



Figure 2-3. Output Clock Frequency

|   | Exact Value              | Frequency | Actual      |
|---|--------------------------|-----------|-------------|
| <input checked="" type="checkbox"/> GL0 | <input type="checkbox"/> | 50 MHz    | 50.000 MHz  |
| <input checked="" type="checkbox"/> GL1 | <input type="checkbox"/> | 100 MHz   | 100.000 MHz |
| <input checked="" type="checkbox"/> GL2 | <input type="checkbox"/> | 200 MHz   | 200.000 MHz |
| <input type="checkbox"/> GL3            | <input type="checkbox"/> | 100 MHz   |             |

### 2.2.4 PLL Reference Clock Source and Frequency

The following sources are available from the reference clock pulldown menu.

**Dedicated Input Pad** - The clock source is one of the four regular FPGA I/Os that have a dedicated path to the CCC.

**Fabric Input** - The clock source is one of the four signals coming from the FPGA Fabric:

- FPGA Fabric Input 0
- FPGA Fabric Input 1
- FPGA Fabric Input 2
- FPGA Fabric Input 3

**Oscillators** - The source is from the 50 MHz on-chip oscillator. The RCOSC\_50MHZ macro must be manually instantiated and connected to the CCC input pin if selected as the reference clock source.

## 2.3 Advanced Configuration

For advanced usecases, the following flow is recommended to configure the clock generated by the selected CCC (flow proceeds from right to left in the GUI):


1. Select the number of desired output clocks (up to four).
2. For each selected output clock, set the required output frequency. Output frequency cannot be set when the selected output clock has an input from Clock generated by Clock Recovery Circuitry.
3. For each selected output clock, select the desired reference (input) clock from which the output will be derived. It can be:
  - One of CCC input clocks (PLL bypass mode), which can be one of four Dedicated Pads or one of four FPGA Fabric Inputs
  - One of eight PLL output phases

- 50 MHz Oscillator
  - One of two Clock Recovery Circuits
4. If required:
    - Select the PLL reference clock source and frequency
    - Select the PLL feedback source
  5. Enter the frequency of each selected source clock(s) (either as the PLL reference or direct source for the output). The configurator uses those frequencies to compute the division factor of the PLL reference and feedback dividers as well as the GPD dividers.

The configurator automatically tries to compute a configuration that meets the frequency requirements and all the internal CCC/PLL constraints. If the configurator is unable to find an exact solution for all requirements, it finds a configuration that globally minimizes the error between the required and actual frequency.

Actual data (divider settings, PLL output frequency, and actual outputs frequencies) are shown in the **Advanced** dialog in blue. Click the **Advanced** tab in the RTG4 FCCC with Enhanced PLL Calibration Configurator dialog for Advanced configuration.

Figure 2-4. Advanced Options




## 2.4 Advanced Tab

The advanced configuration tab inherits settings from the Basic tab. Modifying a parameter in the Advanced tab that cannot be reflected in the Basic tab results in a warning in the Basic tab.

### 2.4.1 Output Clocks Selection

You must select at least one of the four output clocks. The GL0, GL1, GL2, and GL3 clocks drive a global network in the FPGA fabric; Y0, Y1, Y2, and Y3 drive local routing resources in the FPGA fabric.

Figure 2-5. Clock Source Selection



The source of the GL[x]/Y[x] clocks can be:

**PLL** - The PLL block offers eight phases (0° to 315° in 45° steps). The actual phases are highlighted in blue on the configurator dialog. The actual phase is not the same as the selected phase if the output divider is not 1 (actual\_phase = selected\_phase / output\_divider).

**Dedicated Input Pad** - The clock source is one of the four regular FPGA I/Os that has a dedicated path to the CCC. The Configure as differential option allows you to configure any dedicated Input Pad as differential I/O. The package pin names for the selected location are displayed next to the dedicated pads.

**FPGA Fabric Input** - The clock source is one of the four fabric input signals coming from the FPGA Fabric.

**Clock Recovery Circuitry** - Two RX Clock Recovery Circuitry blocks are available—Block 0 and Block 1—for each CCC. If the CCC needs to connect to Spacewire or Glitch Filter, configure the source of your GL[x] to use the Clock Recovery Circuitry. The GL[x] output can then be used.

**Oscillators** - The source is from the on-chip 50 MHz oscillator. The RCOSC\_50MHZ macro must be manually instantiated and connected to the CCC input pin if selected as the reference clock source.

#### 2.4.1.1 Output Clock Frequency


You must specify the required output clock frequency. Those frequencies are used by the RTG4 FCCC with Enhanced PLL Calibration Configurator to compute the configuration of the CCC dividers and PLL to meet the requirements. The dividers and their names are highlighted in blue in the tool.

##### 2.4.1.1.1 Exact Value Option

When you click the **Exact Value** check box to select this option, it forces the RTG4 FCCC with Enhanced PLL Calibration Configurator to generate the nearest actual frequency with a tolerance of 0.5 kHz. If this is not possible, it generates the following error message:

Exact Value option is used. No divider combination was found to satisfy the current settings. Consider adjusting or relaxing the configuration requirements.

Figure 2-6. Output Frequency




### 2.4.1.2 Gated Clock Configuration

For GL[x]/Y[x], Clock Gating is an inherent feature for RTG4 CCC. The GL[x]\_Y[x]\_EN signal gates both the global network driven by the GL[x] and the fabric local routing resource driven by Y[x], where x can be 0, 1, 2, or 3.

Slow GL or Y's must be enabled before the other GL or Y's are enabled, as the lock CCC\_[0/1]\_LOCK is dependent on the slow [GL/Y] frequency.


Figure 2-7. GL[x]\_Y[x]\_EN Signal



### 2.4.1.3 Inversion Configuration

The output can be inverted if required. The inversion affects GL[x] and Y[x] clock. Click the + sign to get the inverted output.

Figure 2-8. Inverted Configuration



## 2.4.2 PLL Configuration

### 2.4.2.1 PLL Reference Clock Source


The following sources are available from the reference clock pulldown menu.

**Dedicated Input Pad** - The clock source is one of the four regular FPGA I/Os that has a dedicated path to the CCC. The Configure as differential option allows you to configure any dedicated Input Pad as differential I/O. The package pin names for the selected CCC location are displayed next to the dedicated pads.

**FPGA Fabric Input** - The clock source can be one of the four input signals coming from the FPGA Fabric.

**Oscillators** - The source is from the on-chip 50 MHz oscillator.

Figure 2-9. PLL Reference Clock Source



### 2.4.2.2 PLL Feedback Source

If you use the PLL, you can choose to use an internal or external feedback loop, depending on your system level requirements.

### Internal Feedback Loop

- **CCC Internal** - Default option.
- **PLL Internal** - The triplicated PLL mode is not supported in this version of the RTG4 FCCC with Enhanced PLL Calibration, and thus PLL Internal Feedback mode is not available. You can continue to use this core with Single PLL Feedback mode (all other modes except PLL Internal) to prevent the issue described in Customer Notification [CN19009](#).


Alternatively, the triplicated PLL is available in the RTG4 FCCC core, but will be subject to the issue described in [CN19009](#). Also refer to the RTG4 PLL Radiation Test Report to decide which PLL mode is suitable for your application's reliability requirements.

### External Feedback Loop

The external feedback is driven from the selected GL[x]/Y[x] fabric CCC output either through the fabric or externally to the chip.

- **Dedicated Input Pad** - The clock source is one of the four regular FPGA I/Os that has a dedicated path to the CCC.
- **FPGA Fabric Input** - The clock source can be one of the four input signals coming from the FPGA Fabric.


Figure 2-10. Internal Feedback Source



#### 2.4.2.3 PLL External Feedback Source

If you use the PLL with an external feedback source, all engine computations are based on the assumptions that the external feedback is driven from the selected GL[x]/Y[x] fabric CCC output whether through the fabric or externally to the chip.


Figure 2-11. PLL External Feedback Source



#### 2.4.2.4 Programmable Delay Line

The programmable delay line enables you to delay (or advance) the PLL output clock with respect to the PLL reference clock by applying a delay to the reference clock path (or feedback path), as shown in figure below.

Figure 2-12. Programmable Delay Line




#### 2.4.2.5 Input Clocks Configuration

You must enter the clock frequency of each CCC input used in the configuration as the PLL reference clock, PLL feedback clock, or Output direct connection. Those frequencies are used to compute the PLL configuration and divider configuration that meet the output frequencies requirements.

Use Clock Recovery Circuitry to configure the CCC outputs to connect to Spacewire or Glitch Filter.

Figure 2-13. Input Clocks Configuration



### Dedicated Input Pad

Some of the dedicated inputs to the CCC can be configured to use a differential I/O technology. The location, I/O technology and attributes available for each CCC dedicated input pad is described in the *DS0131 RTG4 FPGA Datasheet*.

### Clock Recovery Circuitry

Each CCC block has two dedicated Clock Recovery Circuitry blocks: Block 0 and Block 1. These can be used in either the SpaceWire mode (Default) or the Glitch Filter mode.

#### Note:

For RT4G150-ES devices, the Glitch Filter mode is not available and it is disabled.

The RX clock is based on Data and Strobe Inputs, which are from external dedicated I/Os. The Clock Recovery Circuitry Blocks also include a de-glitching circuit to prevent any undesirable narrow clock pulse at output.

1. You can select Dedicated input pad [1 and 3] for Data signal. Dedicated input pads [0 and 2] will be automatically set as corresponding Strobe signal.
2. The same pair of Dedicated input pads cannot be simultaneously used in Clock Recovery Circuitry.
3. Dedicated input pads, which are used as Data and Strobe signals for Clock Recovery Circuitry block cannot be used as input to PLL Reference Clock and PLL Feedback Clock.
4. You cannot set input frequency values for Dedicated pads, which are configured as Data and Strobe signals for RX Clock Recovery Circuitry.


5. Clock Recovery Circuitry Block 0 and 1 cannot have the same input source when both are configured for SpaceWire mode.
6. Clock Recovery Circuitry Block 0 and 1 cannot have the same input source when both are configured for Glitch Filter mode.
7. Clock Recovery Circuitry Block 0 and 1 cannot have the same input source when one is configured for SpaceWire mode and the other is configured for Glitch Filter mode.
8. It is valid to select the same input for PLL REFCLK (and CGL secondary clock) and Glitch Filter.



### 3. PLL Options

The PLL Options tab enables you to configure advanced PLL options, such as output resynchronization and reset signals. Click the **PLL Options** tab in the RTG4 FCCC with Enhanced PLL Calibration Configurator for the selected CCC.

Figure 3-1. PLL Options



The PLL Options summarizes your PLL configuration.

Figure 3-2. PLL Configuration Summary



## 3.1 Lock Control

### Lock window

Enables you to configure the maximum phase error allowed for the PLL to indicate that it has locked. The lock window is expressed as part per million of the post divided reference clock period. Upon generation, the PLL lock window setting is validated against the maximum Phase and Frequency Detector (PFD) rate.

Refer to [UG0586: RTG4 FPGA Clocking Resources User Guide](#) for guidelines on selecting the appropriate PLL Lock Window. This is essential for applications that require phase alignment between the CCC input reference clock and the CCC outputs.

### Lock delay

Enables you to set the number of Reference (REFCLK) clock cycles to wait before asserting the LOCK signal. While waiting, the PLL is in a locked state.



#### Important:

Lock Delay is not supported in Simulation. You must not leave the LOCK output ports CCC\_0\_LOCK and CCC\_1\_LOCK as dangling because it will cause synthesis optimization that will lead to Derived Constraints to fail during Place and Route.

## 3.2 Output Resynchronization After Lock Configuration

RTG4 CCC contains four GPDs. These dividers' source and division settings are automatically configured based on the frequency requirement you specified in the RTG4 FCCC with Enhanced PLL Calibration Configurator. GPDs can be used as the source of any outputs. For example, GPD0 can be used on a path to the GL1 output. It is recommended that you re-synchronize GPDs driven by the PLL output clock after the PLL locks to ensure that the first edge of each GPD is aligned with the PLL reference clock and with each other.

The following sections describe the three different resynchronization options for GPDs/outputs.

### Held output in reset (output low) after power-up. Released and resynchronized with the PLL reference clock after the PLL locked

- If enabled, GPD(s) (driven by the PLL) are held in reset low after power-up. Hence the output(s) (GLx/Yx) connected to those GPD(s) are held low (or high if inverted) after power-up.
- After the PLL lock, the GPD(s) reset are released synchronously with the PLL reference clock.
- The RTG4 FCCC with Enhanced PLL Calibration Configurator automatically inserts a GPD on each GL/Y output driven by the PLL even if the division factor is 1. This ensures that the GL/Y driven by the PLL is held in reset at power-up.
- Does not apply to the output(s)/GPD(s) on the PLL external feedback path (if any).
- Does not apply for the output(s)/GPD(s) not driven by one of the PLL eight phases output.

### Outputs operate after power-up. Resynchronized with the PLL reference clock after the PLL locked (*default selection*)

- If enabled, GPD(s) (driven by the PLL) output are operational after power-up. Hence the output(s) (GLx/Yx) connected to those GPD(s) are operational after power-up.
- After the PLL lock, the GPD(s) is synchronously reset with the PLL reference clock.
- Does not apply to the output(s)/GPD(s) on the PLL external feedback path (if any).
- Does not apply for the output(s)/GPD(s) not driven by one of the PLL eight phases output.

**Outputs operate after power-up. No automatic resynchronization**

- If enabled, the corresponding GPD(s) output is operating after power-up. Hence the outputs (GLx/Yx) connected to this GPD are operating after power-up.
- There is no resynchronization after the PLL lock.
- All GPD(s) directly connected to one of the nine input clocks (bypassing the PLL) are configured in this mode.

**Note:**

For RT4G150-ES devices, this is the only supported option. If you select other options and click **OK** and **Save**, an error message appears as follows:

*The selected option of Output Resynchronization after Lock is not supported for ES devices and the only supported option is Outputs Operate after power-up with No automatic resynchronization.*

**Note:**

When the CCC is used without the PLL, such as while performing clock frequency division, the GPD(s) require a manual assertion and release of the GPDx\_ARST\_N input to synchronize the GPD output(s) to the input reference clock, after it gets stable. For example, the lock signal output of an upstream PLL could be used to release the GPDx\_ARST\_N input so that this CCC's divided output(s) are synchronized to the input clock.

### 3.3 Miscellaneous Options

The **Enable Auto-Reset of PLL on Loss of Lock** option is enabled by default whenever the PLL is used. Disabling this option will result in a Warning Exclamation Icon with a tool-tip message that states.



The insertion of PLL loss of lock auto-reset logic has been disabled. Auto-reset is helpful in the event the PLL lock is lost during operation. Please review Customer Notifications 19009 and 18009.7 on the Microchip website to understand the consequences of disabling this option.

**Expose PLL\_BYPASS\_N signal** - When selected, the input signal PLL\_BYPASS\_N is exposed to the FPGA Fabric. When this signal is asserted, the PLL core is turned off and the PLL outputs track the reference clock. This signal is active Low.

**Expose GL[X]\_Y[X]\_EN and GL[X]\_Y[X]\_ARST\_N signals** - When selected, the GL[X]\_Y[X]\_EN and GL[X]\_Y[X]\_ARST\_N signals are exposed to the FPGA Fabric. By default, these signals are not exposed.

**Calibration note during Simulation**

The following message appears during simulations.

```
# *****NOTE*****
# This message can be safely ignored during the time
# period when the PLL used in the RTG4FCCCECALIB,
# RTG4 FDDR, or RTG4 SERDES PCIe/XAUI core is
# performing VCO calibration. During this time, the
# calibration logic dynamically configures the clock
# conditioning circuitry dividers to run the PLL VCO at
# greater than 1.5x the desired frequency. Refer to the
# following User Guides for more information about the
# Enhanced PLL Calibration:
# - RTG4 Clocking Resources User Guide (UG0586), Enhanced PLL Calibration Fabric IP section.
# - RTG4 FPGA High-Speed Serial Interfaces User Guide (UG0567), Calibration Initialization
# section.
# - RTG4 FPGA DDR Memory Controller User Guide (UG0573), Initialization section.
# *****Attention*****
# The output frequency of PLL0UT_0 is too fast!
# The frequency on the output is above 500MHz. The PLL
# is operating out of spec, therefore the current sim-
# ulation results may not be accurate!
# This is likely due to the setting of the DIVR, DIVF,
# DIVQ, or the frequency of REFCK. Please check these
```

```
# values and rerun the simulation.
# Instance: Top_JJS.Top_0.RTG4FCCCCECALIB_CO_0.RTG4FCCCCECALIB_CO_0.CCC_INST_0.u_pll.u_pll.
Simulation time is 180813668
# *****
```

### 3.4 Recommendations for Dynamic Configuration

Following are the recommendations for dynamic configuration:

1. It is recommended that user shouldn't perform register read/write when LOCK signal is low (when calibration/re calibration is in progress).
2. User must ensure that register write operation is successful by reading back the same register. If user doesn't get the expected value then user should write the register again.
3. The list of registers user must not access when Enable Auto-Reset of PLL on Loss of Lock is selected.

**Table 3-1. PLL registers(not to be altered)**

| Register Name     | Address | Description   |
|-------------------|---------|---|
| FCCC_RFMUX_CR     | 0x01    | RFMUX Configuration register                                |
| FCCC_RFDIV_CR     | 0x02    | RFDIV Configuration register                                |
| FCCC_FBMUX_CR     | 0x03    | FBMUX Configuration register                                |
| FCCC_FBDIV_CR     | 0x04    | FBDIV Configuration register                                |
| FCCC_PLL_CR0      | 0x16    | PLL lock window Configuration register                      |
| FCCC_PLL_CR1      | 0x17    | PLL lock counter configuration and lock status register     |
| FCCC_PLL_CR2      | 0x18    | Write one pulse for reload of Flash bits                    |
| FCCC_PLL_CR3      | 0x1B    | PLL internal or external feedback path selection register   |
| FCCC_GPDS_SYNC_CR | 0x1C    | GPDS outputs realignment request Configuration register     |
| FCCC_PLL_CR4      | 0x1D    | PLL internal output divider Configuration register          |
| FCCC_PLL_CR5      | 0x1F    | PLL internal reference clock divider Configuration register |
| FCCC_PLL_CR6      | 0x20    | PLL internal feedback clock divider Configuration register  |
| FCCC_PLL_CR7      | 0x21    | PLL loop filter range Configuration register                |
| FCCC_PDLY_CR      | 0x26    | Programmable delay elements Configuration register          |

### 3.5 Clock Frequency Requirements

You must specify the clock source frequency. Note the following frequency requirements:

- The On-chip 50 MHz Oscillator clock frequency is fixed at 50 MHz.
- PLL reference clock frequency must be between 10 MHz and 200 MHz.

- Output clock frequencies must be less than 400 MHz.
- Input used in bypass mode frequency must be less than 400 MHz

### **3.6 Constraints**

After generating the core, the following constraint files are generated automatically.

Clocks and False paths related constraints are generated in file with extension as `.sdc`.

Constraints related to SET mitigation are generated in a file with extension as `.ndc`.

## 4. Port Description

The following table provides a list of Fabric CCC ports and description.

**Table 4-1. Fabric CCC Port Description**

| Port Name                                  | Direction | Polarity | Description   |
|--|-----------|----------|---|
| CCC_[0/1]_CLK0_PAD                         | Input     | -        | Input clock when using <b>Dedicated Input Pad 0</b> configured as single-ended I/O.   |
| CCC_[0/1]_CLK0_[PADP and PADN]             | Input     | -        | Input clock when using <b>Dedicated Input Pad 0</b> configured as differential I/O. P side and N side.  |
| CCC_[0/1]_CLK1_PAD                         | Input     | -        | Input clock when using <b>Dedicated Input Pad 1</b> configured as single-ended I/O.   |
| CCC_[0/1]_CLK1_[PADP and PADN]             | Input     | -        | Input clock when using <b>Dedicated Input Pad 1</b> configured as differential I/O. P side and N side.  |
| CCC_[0/1]_CLK2_PAD                         | Input     | -        | Input clock when using <b>Dedicated Input Pad 2</b> configured as single-ended I/O.   |
| CCC_[0/1]_CLK2_[PADP and PADN]             | Input     | -        | Input clock when using <b>Dedicated Input Pad 2</b> configured as differential I/O. P side and N side.  |
| CCC_[0/1]_CLK3_PAD                         | Input     | -        | Input clock when using <b>Dedicated Input Pad 3</b> configured as single-ended I/O.   |
| CCC_[0/1]_CLK3_[PADP and PADN]             | Input     | -        | Input clock when using <b>Dedicated Input Pad 3</b> configured as differential I/O. P side and N side.  |
| CCC_[0/1]_CLK0_SPWR_STROBE_[PADP and PADN] | Input     | -        | Input Clock when Dedicated pad 0 is used as input to <b>Strobe</b> of Clock Recovery Circuitry in differential-mode. SpaceWire Mode only.           |
| CCC_[0/1]_CLK1_SPWR_DATA_[PADP and PADN]   | Input     | -        | Input Clock when Dedicated Pad 1 is used as input to <b>Data</b> of Clock Recovery Circuitry in differential-mode. SpaceWire Mode only.             |
| CCC_[0/1]_CLK2_SPWR_STROBE_[PADP and PADN] | Input     | -        | Input Clock when Dedicated pad 2 is used as input to <b>Strobe</b> of Clock Recovery Circuitry in differential-mode. SpaceWire Mode only.           |
| CCC_[0/1]_CLK3_SPWR_DATA_[PADP and PADN]   | Input     | -        | Input Clock when Dedicated Pad 3 is used as input to <b>Data</b> of Clock Recovery Circuitry in differential-mode. SpaceWire Mode only.             |
| CCC_[0/1]_CLK0_SPWR_STROBE_PAD             | Input     | -        | Input Clock when Dedicated pad 0 is used as input to <b>Strobe</b> of Clock Recovery Circuitry configured as single-ended I/O. SpaceWire Mode only. |
| CCC_[0/1]_CLK1_SPWR_DATA_PAD               | Input     | -        | Input Clock when Dedicated pad 1 is used as input to <b>Data</b> of Clock Recovery Circuitry configured as single-ended I/O. SpaceWire Mode only.   |
| CCC_[0/1]_CLK2_SPWR_STROBE_PAD             | Input     | -        | Input Clock when Dedicated pad 2 is used as input to <b>Strobe</b> of Clock Recovery Circuitry configured as single-ended I/O. SpaceWire Mode only. |

| .....continued               |           |          |   |
|------------------------------|-----------|----------|---|
| Port Name                    | Direction | Polarity | Description   |
| CCC_[0/1]_CLK3_SPWR_DATA_PAD | Input     | -        | Input Clock when Dedicated pad 3 is used as input to <b>Data</b> of Clock Recovery Circuitry configured as single-ended I/O. SpaceWire Mode only. |
| CCC_[0/1]_CLK0               | Input     | -        | Input clock from FPGA core when using <b>FPGA Fabric Input 0</b> .  |
| CCC_[0/1]_CLK1               | Input     | -        | Input clock from FPGA core when using <b>FPGA Fabric Input 1</b> .  |
| CCC_[0/1]_CLK2               | Input     | -        | Input clock from FPGA core when using <b>FPGA Fabric Input 2</b> .  |
| CCC_[0/1]_CLK3               | Input     | -        | Input clock from FPGA core when using <b>FPGA Fabric Input 3</b> .  |
| CCC_[0/1]_RCOSC_50MHZ        | Input     | -        | Input clock when using <b>50 MHz Oscillator</b> .   |
| CCC_[0/1]_GL0                | Output    | -        | Generated clock driving FPGA fabric global network 0.   |
| CCC_[0/1]_GL1                | Output    | -        | Generated clock driving FPGA fabric global network 1.   |
| CCC_[0/1]_GL2                | Output    | -        | Generated clock driving FPGA fabric global network 2.   |
| CCC_[0/1]_GL3                | Output    | -        | Generated clock driving FPGA fabric global network 3.   |
| CCC_[0/1]_GL0_Y0_EN          | Input     | High     | Enable signal for the clock driving FPGA fabric global network 0 (GL0) and fabric local routing (Y0) network 0.                                   |
| CCC_[0/1]_GL1_Y1_EN          | Input     | High     | Enable signal for the clock driving FPGA fabric global network1 (GL1) and fabric local routing (Y1) network 1.                                    |
| CCC_[0/1]_GL2_Y2_EN          | Input     | High     | Enable signal for the clock driving FPGA fabric global network 2 (GL2) and fabric local routing (Y2) network 2.                                   |
| CCC_[0/1]_GL3_Y3_EN          | Input     | High     | Enable signal for the clock driving FPGA fabric global network 3 (GL3) and fabric local routing (Y3) network 3.                                   |
| CCC_[0/1]_GL0_Y0_ARST_N      | Input     | Low      | (GL0/Y0) CGL reset signal. Asynchronous reset signal.   |
| CCC_[0/1]_GL1_Y1_ARST_N      | Input     | Low      | (GL1/Y1) CGL reset signal. Asynchronous reset signal.   |
| CCC_[0/1]_GL2_Y2_ARST_N      | Input     | Low      | (GL2/Y2) CGL reset signal. Asynchronous reset signal.   |
| CCC_[0/1]_GL3_Y3_ARST_N      | Input     | Low      | (GL3/Y3) CGL reset signal. Asynchronous reset signal.   |
| CCC_[0/1]_Y0                 | Output    | -        | Generated clock driving FPGA fabric local routing resource.   |

| .....continued  |           |          |  |
|---|-----------|----------|--|
| Port Name   | Direction | Polarity | Description  |
| CCC_[0/1]_Y1  | Output    | -        | Generated clock driving FPGA fabric local routing resource.  |
| CCC_[0/1]_Y2  | Output    | -        | Generated clock driving FPGA fabric local routing resource.  |
| CCC_[0/1]_Y3  | Output    | -        | Generated clock driving FPGA fabric local routing resource.  |
| CCC_[0/1]_RX0_DATA_PORT   | Output    | -        | Output port for RX0 Data. Same signal that is driving the RX0 Spacewire clock recovery Data input.   |
| CCC_[0/1]_RX1_DATA_PORT   | Output    | -        | Output port for RX1 Data. Same signal that is driving the RX1 Spacewire clock recovery Data input.   |
| CCC_[0/1]_LOCK  | Output    | High     | PLL Lock indicator signal. This signal is asserted (lock) high.  |
| CCC_[0/1]_PLL_BYPASS_N  | Input     | Low      | Powers-down the PLL core and bypasses it such that PLL_OUT tracks reference clock. This has higher priority than reset.  |
| CCC_[0/1]_PLL_POWERDOWN_N   | Input     | Low      | Powers-down the PLL for the lowest quiescent current and the PLL outputs are Low. This has higher priority than reset and bypass.  |
| PLL_RST_N   | Input     | Low      | PLL_RST_N is internally synchronized with CLK_50MHZ. Synchronization method can be selected using Reset type option. If Reset type selected is Synchronous then assertion and de-assertion of reset is synchronous to CLK_50MHZ. For successful synchronization, PLL_RST_N should be asserted for a minimum of three clock cycles of CLK_50MHZ. If Reset type selected is Async-Assert, Sync-Deassert then assertion of reset is asynchronous and de-assertion is synchronous with CLK_50MHZ.  |
| READY_VDDPLL  | Input     | High     | Tie to High if you are certain that VDDPLL will not be the last supply to ramp up. Otherwise, connect to a circuit that delays the assertion of VDDPLL by 73 ms as described in the <a href="#">RTG4 Clocking Resources User Guide</a> .   |
| CLK50_MHZ   | Input     | -        | Input clock for soft logic that performs calibration at power-up or when the PLL is reset. The frequency of this clock must be 50 MHz max. You may connect to the GLx output of any CCC that is distributing the <b>RCOSC_50MHZ</b> signal. You cannot directly connect a <b>RCOSC_50MHZ</b> macro to this input port. Alternatively, an external free-running oscillator clock can be used as long as the frequency is 50 MHz or less. CLK_50MHZ will be used for the APB3 interface when "Enable Dynamic configuration" is selected in the configurator. |
| Fabric CCC Configuration bus Interface Signals – APB3 bus Interface |           |          |  |



.....continued

| Port Name         | Direction | Polarity | Description  |
|-------------------|-----------|----------|--|
| APB_S_PRESET_N    | Input     | Low      | APB3 interface active Low reset signal. User has to synchronize APB_S_PRESET_N with CLK_50MHZ externally.  |
| APB_S_PADDR[8:2]  | Input     | -        | APB3 interface address bus. This port is used to address fabric CCC internal registers. APB_S_PADDR shall be synchronous with CLK_50MHZ.                                       |
| APB_S_PSEL        | Input     | -        | APB3 interface target select signal. APB_S_PSEL shall be synchronous with CLK_50MHZ.   |
| APB_S_PENABLE     | Input     | High     | APB3 interface strobe signal to indicate the second cycle of an APB3 transfer. APB_S_PENABLE shall be synchronous with CLK_50MHZ.  |
| APB_S_PWRITE      | Input     | -        | APB3 interface read/write-control signal. When High, this signal indicates an APB3 write access and when Low, a read access. APB_S_PWRITE shall be synchronous with CLK_50MHZ. |
| APB_S_PWDATA[7:0] | Input     | -        | APB3 interface write data bus. APB_S_PWDATA shall be synchronous with CLK_50MHZ.   |
| APB_S_PRDATA[7:0] | Output    | -        | APB3 interface read data bus. APB_S_PRDATA is synchronous with CLK_50MHZ.  |
| APB_S_PREADY      | Output    | -        | APB3 interface ready indication output to initiator. APB_S_PREADY is synchronous with CLK_50MHZ.   |
| APB_S_PSLVERR     | Output    | -        | APB3 interface error indication signal. APB_S_PSLVERR is synchronous with CLK_50MHZ.   |

**Note:** APB\_S\_PCLK is removed and it is from CLK\_50MHz.

## 5. Revision History

| Revision | Date    | Description  |
|----------|---------|--|
| B        | 08/2021 | <ul style="list-style-type: none"><li>• Added <a href="#">1. Calibration</a>.</li><li>• Added <a href="#">2.1.3 Reset Type</a>.</li><li>• Added <a href="#">3.6 Constraints</a>.</li><li>• Added <a href="#">Note</a> regarding APB_S_PCLK.</li><li>• Updated <a href="#">Introduction</a>.</li><li>• Updated <a href="#">Table 4-1</a>.</li></ul>   |
| A        | 04/2021 | <p><a href="#">2.4.1.2 Gated Clock Configuration</a><br/>- Added information about slow GL or Y's.</p> <p><a href="#">3.3 Miscellaneous Options</a> - Added message that appears during simualtions.</p> <p><a href="#">3.1 Lock Control</a><br/>- Added note that users should not leave the LOCK output ports CCC_0_LOCK and CCC_1_LOCK dangling because it will cause synthesis optimization that will lead to Derive Constraints failure during Place and Route.</p> |

## 6. Microchip FPGA Technical Support

Microchip FPGA Products Group backs its products with various support services, including Customer Service, Customer Technical Support Center, a website, and worldwide sales offices. This section provides information about contacting Microchip FPGA Products Group and using these support services.

### 6.1 Customer Service

Contact Customer Service for non-technical product support, such as product pricing, product upgrades, update information, order status, and authorization.

- From North America, call **800.262.1060**
- From the rest of the world, call **650.318.4460**
- Fax, from anywhere in the world, **650.318.8044**

### 6.2 Customer Technical Support

Microchip FPGA Products Group staffs its Customer Technical Support Center with highly skilled engineers who can help answer your hardware, software, and design questions about Microchip FPGA Products. The Customer Technical Support Center spends a great deal of time creating application notes, answers to common design cycle questions, documentation of known issues, and various FAQs. So, before you contact us, please visit our online resources. It is very likely we have already answered your questions.

You can communicate your technical questions through our Web portal and receive answers back by email, fax, or phone. Also, if you have design problems, you can upload your design files to receive assistance. We constantly monitor the cases created from the web portal throughout the day. When sending your request to us, please be sure to include your full name, company name, and your contact information for efficient processing of your request.

Technical support can be reached at [soc.microsemi.com/Portal/Default.aspx](https://soc.microsemi.com/Portal/Default.aspx).

For technical support on RH and RT FPGAs that are regulated by International Traffic in Arms Regulations (ITAR), log in at [soc.microsemi.com/Portal/Default.aspx](https://soc.microsemi.com/Portal/Default.aspx), go to the **My Cases** tab, and select **Yes** in the ITAR drop-down list when creating a new case. For a complete list of ITAR-regulated Microchip FPGAs, visit the ITAR web page.

You can track technical cases online by going to [My Cases](#).

### 6.3 Website

You can browse a variety of technical and non-technical information on the Microchip FPGA Products Group [home page](#), at [www.microsemi.com/soc](http://www.microsemi.com/soc).

### 6.4 Outside the U.S.

Customers needing assistance outside the US time zones can either contact technical support at (<https://soc.microsemi.com/Portal/Default.aspx>) or contact a local sales office.

Visit [About Us](#) for [sales office listings](#) and [corporate contacts](#).

---

## The Microchip Website

---

Microchip provides online support via our website at [www.microchip.com/](http://www.microchip.com/). This website is used to make files and information easily available to customers. Some of the content available includes:

- **Product Support** – Data sheets and errata, application notes and sample programs, design resources, user's guides and hardware support documents, latest software releases and archived software
- **General Technical Support** – Frequently Asked Questions (FAQs), technical support requests, online discussion groups, Microchip design partner program member listing
- **Business of Microchip** – Product selector and ordering guides, latest Microchip press releases, listing of seminars and events, listings of Microchip sales offices, distributors and factory representatives

---

## Product Change Notification Service

---

Microchip's product change notification service helps keep customers current on Microchip products. Subscribers will receive email notification whenever there are changes, updates, revisions or errata related to a specified product family or development tool of interest.

To register, go to [www.microchip.com/pcn](http://www.microchip.com/pcn) and follow the registration instructions.

---

## Customer Support

---

Users of Microchip products can receive assistance through several channels:

- Distributor or Representative
- Local Sales Office
- Embedded Solutions Engineer (ESE)
- Technical Support

Customers should contact their distributor, representative or ESE for support. Local sales offices are also available to help customers. A listing of sales offices and locations is included in this document.

Technical support is available through the website at: [www.microchip.com/support](http://www.microchip.com/support)

---

## Microchip Devices Code Protection Feature

---

Note the following details of the code protection feature on Microchip devices:

- Microchip products meet the specifications contained in their particular Microchip Data Sheet.
- Microchip believes that its family of products is secure when used in the intended manner and under normal conditions.
- There are dishonest and possibly illegal methods being used in attempts to breach the code protection features of the Microchip devices. We believe that these methods require using the Microchip products in a manner outside the operating specifications contained in Microchip's Data Sheets. Attempts to breach these code protection features, most likely, cannot be accomplished without violating Microchip's intellectual property rights.
- Microchip is willing to work with any customer who is concerned about the integrity of its code.
- Neither Microchip nor any other semiconductor manufacturer can guarantee the security of its code. Code protection does not mean that we are guaranteeing the product is "unbreakable." Code protection is constantly evolving. We at Microchip are committed to continuously improving the code protection features of our products. Attempts to break Microchip's code protection feature may be a violation of the Digital Millennium Copyright Act. If such acts allow unauthorized access to your software or other copyrighted work, you may have a right to sue for relief under that Act.

## Legal Notice

---

Information contained in this publication is provided for the sole purpose of designing with and using Microchip products. Information regarding device applications and the like is provided only for your convenience and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications.

THIS INFORMATION IS PROVIDED BY MICROCHIP "AS IS". MICROCHIP MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE OR WARRANTIES RELATED TO ITS CONDITION, QUALITY, OR PERFORMANCE.

IN NO EVENT WILL MICROCHIP BE LIABLE FOR ANY INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL LOSS, DAMAGE, COST OR EXPENSE OF ANY KIND WHATSOEVER RELATED TO THE INFORMATION OR ITS USE, HOWEVER CAUSED, EVEN IF MICROCHIP HAS BEEN ADVISED OF THE POSSIBILITY OR THE DAMAGES ARE FORESEEABLE. TO THE FULLEST EXTENT ALLOWED BY LAW, MICROCHIP'S TOTAL LIABILITY ON ALL CLAIMS IN ANY WAY RELATED TO THE INFORMATION OR ITS USE WILL NOT EXCEED THE AMOUNT OF FEES, IF ANY, THAT YOU HAVE PAID DIRECTLY TO MICROCHIP FOR THE INFORMATION. Use of Microchip devices in life support and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless Microchip from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microchip intellectual property rights unless otherwise stated.

## Trademarks

---

The Microchip name and logo, the Microchip logo, Adaptec, AnyRate, AVR, AVR logo, AVR Freaks, BesTime, BitCloud, chipKIT, chipKIT logo, CryptoMemory, CryptoRF, dsPIC, FlashFlex, flexPWR, HELDO, IGLOO, JukeBlox, KeeLoq, Klear, LANCheck, LinkMD, maXStylus, maXTouch, MediaLB, megaAVR, Microsemi, Microsemi logo, MOST, MOST logo, MPLAB, OptoLyzer, PackeTime, PIC, picoPower, PICSTART, PIC32 logo, PolarFire, Prochip Designer, QTouch, SAM-BA, SenGenuity, SpyNIC, SST, SST Logo, SuperFlash, Symmetricom, SyncServer, Tachyon, TempTrackr, TimeSource, tinyAVR, UNI/O, Vectron, and XMEGA are registered trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

APT, ClockWorks, The Embedded Control Solutions Company, EtherSynch, FlashTec, Hyper Speed Control, HyperLight Load, IntelliMOS, Libero, motorBench, mTouch, Powermite 3, Precision Edge, ProASIC, ProASIC Plus, ProASIC Plus logo, Quiet-Wire, SmartFusion, SyncWorld, Temux, TimeCesium, TimeHub, TimePictra, TimeProvider, Vite, WinPath, and ZL are registered trademarks of Microchip Technology Incorporated in the U.S.A.

Adjacent Key Suppression, AKS, Analog-for-the-Digital Age, Any Capacitor, AnyIn, AnyOut, BlueSky, BodyCom, CodeGuard, CryptoAuthentication, CryptoAutomotive, CryptoCompanion, CryptoController, dsPICDEM, dsPICDEM.net, Dynamic Average Matching, DAM, ECAN, EtherGREEN, In-Circuit Serial Programming, ICSP, INICnet, Inter-Chip Connectivity, JitterBlocker, KlearNet, KlearNet logo, memBrain, Mindi, MiWi, MPASM, MPF, MPLAB Certified logo, MPLIB, MPLINK, MultiTRAK, NetDetach, Omniscient Code Generation, PICDEM, PICDEM.net, PICkit, PICtail, PowerSmart, PureSilicon, QMatrix, REAL ICE, Ripple Blocker, SAM-ICE, Serial Quad I/O, SMART-I.S., SQL, SuperSwitcher, SuperSwitcher II, Total Endurance, TSHARC, USBCheck, VariSense, ViewSpan, WiperLock, Wireless DNA, and ZENA are trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

SQTP is a service mark of Microchip Technology Incorporated in the U.S.A.

The Adaptec logo, Frequency on Demand, Silicon Storage Technology, and Symmcom are registered trademarks of Microchip Technology Inc. in other countries.

GestIC is a registered trademark of Microchip Technology Germany II GmbH & Co. KG, a subsidiary of Microchip Technology Inc., in other countries.

All other trademarks mentioned herein are property of their respective companies.

© 2021, Microchip Technology Incorporated, Printed in the U.S.A., All Rights Reserved.

ISBN: 978-1-5224-8597-1

## Quality Management System

---

For information regarding Microchip's Quality Management Systems, please visit [www.microchip.com/quality](http://www.microchip.com/quality).

## Worldwide Sales and Service

| AMERICAS  | ASIA/PACIFIC  | ASIA/PACIFIC   | EUROPE   |
|---|---|--|--|
| <p><b>Corporate Office</b><br/>2355 West Chandler Blvd.<br/>Chandler, AZ 85224-6199<br/>Tel: 480-792-7200<br/>Tel: 480-792-7277<br/>Technical Support:<br/><a href="http://www.microchip.com/support">www.microchip.com/support</a><br/>Web Address:<br/><a href="http://www.microchip.com">www.microchip.com</a></p> <p><b>Atlanta</b><br/>Duluth, GA<br/>Tel: 678-957-9614<br/>Fax: 678-957-1455</p> <p><b>Austin, TX</b><br/>Tel: 512-257-3370</p> <p><b>Boston</b><br/>Westborough, MA<br/>Tel: 774-760-0087<br/>Fax: 774-760-0088</p> <p><b>Chicago</b><br/>Itasca, IL<br/>Tel: 630-285-0071<br/>Fax: 630-285-0075</p> <p><b>Dallas</b><br/>Addison, TX<br/>Tel: 972-818-7423<br/>Fax: 972-818-2924</p> <p><b>Detroit</b><br/>Novi, MI<br/>Tel: 248-848-4000</p> <p><b>Houston, TX</b><br/>Tel: 281-894-5983</p> <p><b>Indianapolis</b><br/>Noblesville, IN<br/>Tel: 317-773-8323<br/>Fax: 317-773-5453<br/>Tel: 317-536-2380</p> <p><b>Los Angeles</b><br/>Mission Viejo, CA<br/>Tel: 949-462-9523<br/>Fax: 949-462-9608<br/>Tel: 951-273-7800</p> <p><b>Raleigh, NC</b><br/>Tel: 919-844-7510</p> <p><b>New York, NY</b><br/>Tel: 631-435-6000</p> <p><b>San Jose, CA</b><br/>Tel: 408-735-9110<br/>Tel: 408-436-4270</p> <p><b>Canada - Toronto</b><br/>Tel: 905-695-1980<br/>Fax: 905-695-2078</p> | <p><b>Australia - Sydney</b><br/>Tel: 61-2-9868-6733</p> <p><b>China - Beijing</b><br/>Tel: 86-10-8569-7000</p> <p><b>China - Chengdu</b><br/>Tel: 86-28-8665-5511</p> <p><b>China - Chongqing</b><br/>Tel: 86-23-8980-9588</p> <p><b>China - Dongguan</b><br/>Tel: 86-769-8702-9880</p> <p><b>China - Guangzhou</b><br/>Tel: 86-20-8755-8029</p> <p><b>China - Hangzhou</b><br/>Tel: 86-571-8792-8115</p> <p><b>China - Hong Kong SAR</b><br/>Tel: 852-2943-5100</p> <p><b>China - Nanjing</b><br/>Tel: 86-25-8473-2460</p> <p><b>China - Qingdao</b><br/>Tel: 86-532-8502-7355</p> <p><b>China - Shanghai</b><br/>Tel: 86-21-3326-8000</p> <p><b>China - Shenyang</b><br/>Tel: 86-24-2334-2829</p> <p><b>China - Shenzhen</b><br/>Tel: 86-755-8864-2200</p> <p><b>China - Suzhou</b><br/>Tel: 86-186-6233-1526</p> <p><b>China - Wuhan</b><br/>Tel: 86-27-5980-5300</p> <p><b>China - Xian</b><br/>Tel: 86-29-8833-7252</p> <p><b>China - Xiamen</b><br/>Tel: 86-592-2388138</p> <p><b>China - Zhuhai</b><br/>Tel: 86-756-3210040</p> | <p><b>India - Bangalore</b><br/>Tel: 91-80-3090-4444</p> <p><b>India - New Delhi</b><br/>Tel: 91-11-4160-8631</p> <p><b>India - Pune</b><br/>Tel: 91-20-4121-0141</p> <p><b>Japan - Osaka</b><br/>Tel: 81-6-6152-7160</p> <p><b>Japan - Tokyo</b><br/>Tel: 81-3-6880-3770</p> <p><b>Korea - Daegu</b><br/>Tel: 82-53-744-4301</p> <p><b>Korea - Seoul</b><br/>Tel: 82-2-554-7200</p> <p><b>Malaysia - Kuala Lumpur</b><br/>Tel: 60-3-7651-7906</p> <p><b>Malaysia - Penang</b><br/>Tel: 60-4-227-8870</p> <p><b>Philippines - Manila</b><br/>Tel: 63-2-634-9065</p> <p><b>Singapore</b><br/>Tel: 65-6334-8870</p> <p><b>Taiwan - Hsin Chu</b><br/>Tel: 886-3-577-8366</p> <p><b>Taiwan - Kaohsiung</b><br/>Tel: 886-7-213-7830</p> <p><b>Taiwan - Taipei</b><br/>Tel: 886-2-2508-8600</p> <p><b>Thailand - Bangkok</b><br/>Tel: 66-2-694-1351</p> <p><b>Vietnam - Ho Chi Minh</b><br/>Tel: 84-28-5448-2100</p> | <p><b>Austria - Wels</b><br/>Tel: 43-7242-2244-39<br/>Fax: 43-7242-2244-393</p> <p><b>Denmark - Copenhagen</b><br/>Tel: 45-4485-5910<br/>Fax: 45-4485-2829</p> <p><b>Finland - Espoo</b><br/>Tel: 358-9-4520-820</p> <p><b>France - Paris</b><br/>Tel: 33-1-69-53-63-20<br/>Fax: 33-1-69-30-90-79</p> <p><b>Germany - Garching</b><br/>Tel: 49-8931-9700</p> <p><b>Germany - Haan</b><br/>Tel: 49-2129-3766400</p> <p><b>Germany - Heilbronn</b><br/>Tel: 49-7131-72400</p> <p><b>Germany - Karlsruhe</b><br/>Tel: 49-721-625370</p> <p><b>Germany - Munich</b><br/>Tel: 49-89-627-144-0<br/>Fax: 49-89-627-144-44</p> <p><b>Germany - Rosenheim</b><br/>Tel: 49-8031-354-560</p> <p><b>Israel - Ra'anana</b><br/>Tel: 972-9-744-7705</p> <p><b>Italy - Milan</b><br/>Tel: 39-0331-742611<br/>Fax: 39-0331-466781</p> <p><b>Italy - Padova</b><br/>Tel: 39-049-7625286</p> <p><b>Netherlands - Druenen</b><br/>Tel: 31-416-690399<br/>Fax: 31-416-690340</p> <p><b>Norway - Trondheim</b><br/>Tel: 47-72884388</p> <p><b>Poland - Warsaw</b><br/>Tel: 48-22-3325737</p> <p><b>Romania - Bucharest</b><br/>Tel: 40-21-407-87-50</p> <p><b>Spain - Madrid</b><br/>Tel: 34-91-708-08-90<br/>Fax: 34-91-708-08-91</p> <p><b>Sweden - Gothenberg</b><br/>Tel: 46-31-704-60-40</p> <p><b>Sweden - Stockholm</b><br/>Tel: 46-8-5090-4654</p> <p><b>UK - Wokingham</b><br/>Tel: 44-118-921-5800<br/>Fax: 44-118-921-5820</p> |